
UpToDate Enterprise Edition

Senior Customer Success
Specialist

周盈廷Tina



內容

1. Mobile Complete 離線手機版
2. Pathway臨床路徑/診斷流程
3. Lab Interpretation
4. Rx transition for mental health
5. Kidney dosing tool

Mobile Complete 離線 手機版




1. 在您的裝置上開啟 UpToDate 行動應用程式




2. 在主畫面上找到「Download content to use UpToDate offline (下載內容以便離線使用 UpToDate)」的通知，然後點選「Download (下載)」



點選右上角的功能鍵，然後選取「Offline Content (離線內容)」功能表項目旁的「Set Up (設定)」



3. 選擇「Topics (主題)」或「Topics and Graphics (主題和圖形)」以安裝在您的裝置上。



4. 下載完成後，所選內容旁邊會出現一個藍色核取記號。



5. 點選「Auto-Updates (自動更新)」右側的「偏好」鍵，並選擇下載及更新內容的方式，「Wifi」或「Wifi and Data (Wifi 和行動數據)」。

Pathways :

專注於具有已知差異性的常見醫療狀況
降低決策差異性

Pathways 提供簡單且**互動式**的導引方式，協助針對病患的共病情況與臨床表現，進行關鍵且複雜的決策。

- 在照護團隊間實現**標準化**、以實證為基礎的決策制定
- 提升照護**一致性**，降低不必要的變異性
- 提升**管理複雜臨床情境**的效率

UpToDate 的內容連結可支援 Pathways 的決策能力

評估結果與決策將自動記錄，並無縫轉入病歷與臨床記錄中。

Lab Interpretation : 推動適當的後續行動

提供**行動導向**的指引。這些以實證為基礎的專題文章可協助臨床醫師根據個別病患的需求，判斷合適的後續處置。

- **降低**因異常實驗室檢驗結果與不明確後續處置所造成的**照護與結果差異**
- 在整個醫療體系中**實現一致且以實證為基礎的決策制定**

The screenshot shows the UpToDate interface for the article "Lab Interpretation: High alkaline phosphatase in adults". The left sidebar contains an "Outline" with sections: ALGORITHM (with a link to "algorithm 1"), INITIAL EVALUATION, REFERENCE RANGE, CITATIONS, and GRAPHICS. The main content area includes the "ALGORITHM" section, "INITIAL EVALUATION" text, and a list of key points. A red dashed line highlights the "ALGORITHM" link in the sidebar and the "Approach to the patient with abnormal liver tests" link in the main text. A black callout box with white text says: "將解讀後的實驗室檢驗結果直接連結至 UpToDate 的治療指引".

The screenshot shows the algorithm for "Initial evaluation of elevated alkaline phosphatase in adults". The algorithm starts with a decision point: "Does the patient have abnormalities of other liver biochemical tests (eg, bilirubin) in addition to elevated alkaline phosphatase?". If "Yes", it leads to "Hepatic origin" with recommendations: "Review medications" and "Perform right upper quadrant ultrasound". If "No", it leads to "Measure: Fasting alkaline phosphatase, GGT or 5'NT". If "Elevated alkaline phosphatase confirmed" and "Is the GGT or 5'NT elevated?", then "Hepatic origin" is confirmed. If "No", it leads to "Bone origin likely" with recommendation: "Initial testing may include: Bone-specific alkaline phosphatase". A black callout box with white text says: "連結至臨床演算法與以實證為基礎的決策支援工具".

The screenshot shows the text section "Approach to the patient with abnormal liver tests". It discusses the evaluation of elevated alkaline phosphatase, distinguishing between hepatic and bone origin. A black callout box with white text says: "Approach to the patient with abnormal liver tests".

Rx Transitions: 支援更安全抗憂鬱藥物轉換

協助臨床人員以快速、個人化、逐步指引來管理複雜的心理健護，特別是在抗憂鬱藥物之間轉換病人用藥時。

- 透過量身打造的減量 (tapering) 與劑量調整 (titration) 時程，降低不良反應與復發風險
- 提供可客製化的治療計畫，貼近病人的需求與偏好，促進共享決策 (shared decision-making)
- 支援高效率的臨床文件紀錄，並協助提升基層醫療在心理健護管理上的信心與能力

逐步、以證據為基礎的工作流程，並完整涵蓋藥物交互作用與臨床考量

個人化減藥計畫，提供可客製化的三階時程，依病人需求與臨床情境調整，確保更安全的用藥轉換

透過可列印與分享的計畫，支援共享決策 (shared decision-making) 及照護連續性，方便在基層與專科醫療間進行文件紀錄

The screenshot displays the 'UpToDate Rx Transitions for Mental Health' interface. It features a selection screen for antidepressants, including options like Citalopram, Escitalopram, Fluoxetine, and Sertraline. A 'Current dose' dropdown is present. Below this, there is a section for 'Important information' and 'Considerations for selecting the next antidepressant agent'. The interface shows three columns for switching schedules: 'Immediate switch', 'Rapid switch', and 'Standard switch'. The 'Standard switch' column is selected, showing a 7-day tapering schedule for fluoxetine followed by duloxetine. At the bottom, there are 'Print Schedule' and 'Copy to Clipboard' buttons, and a disclaimer text.

Kidney Dosing Tool:

提供腎功能異常病人的即時臨床劑量調整建議

協助指引適當的用藥劑量，提供跨藥物及透析類型的快速整合腎臟劑量資訊。

- 透過專家審核的透析專用劑量建議，降低藥物不良事件風險
- 以單一視圖呈現 CKD、AKI 及透析的腎臟劑量資訊，節省時間與認知負擔
- 協助標準化醫療照護，即使藥師支援有限，也能自信開藥

多藥物腎臟用藥審查功能，可同時快速評估多種藥物的腎臟劑量。

透析專用指引，涵蓋各種透析類型（如 CRRT、PIRRT、SLED）的用藥劑量建議，包括複雜與重症照護情境。

Drug	Kidney Dosing Adjustment Analysis
Doxycycline	✓
Japanese Encephalitis Virus Vaccine (Inactivated)	✓
Piperacillin and Tazobactam (Zosyn)	⚠
Wheat Dextrin	ⓘ

Adult Kidney Dosing Adjustments

由專家撰寫、以證據為基礎的指引——完整整合於 Enterprise 平台體驗中，並提供列印計算工具與藥物專論連結。